

HYTORC AVANTI 0,7



Technische Daten

| Druck (bar) | [Nm] | (kgm) | (ft.lbs.) | Druck (PSI) |
|----------------|-------|-------|-----------|----------------|
| 100 | 135 | 14 | 100 | 1450 |
| 120 | 163 | 17 | 120 | 1740 |
| 140 | 191 | 19 | 141 | 2031 |
| 160 | 219 | 22 | 162 | 2321 |
| 180 | 250 | 25 | 184 | 2611 |
| 200 | 278 | 28 | 205 | 2901 |
| 220 | 306 | 31 | 226 | 3191 |
| 240 | 336 | 34 | 248 | 3481 |
| 260 | 366 | 37 | 270 | 3771 |
| 280 | 394 | 40 | 291 | 4061 |
| 300 | 422 | 43 | 311 | 4351 |
| 320 | 453 | 46 | 334 | 4641 |
| 340 | 481 | 49 | 355 | 4931 |
| 360 | 510 | 52 | 376 | 5221 |
| 380 | 541 | 55 | 399 | 5511 |
| 400 | 572 | 58 | 422 | 5801 |
| 420 | 600 | 61 | 443 | 6092 |
| 440 | 629 | 64 | 464 | 6382 |
| 460 | 660 | 67 | 487 | 6672 |
| 480 | 689 | 70 | 508 | 6962 |
| 500 | 718 | 73 | 530 | 7252 |
| 520 | 749 | 76 | 552 | 7542 |
| 540 | 780 | 79 | 575 | 7832 |
| 560 | 809 | 82 | 597 | 8122 |
| 580 | 838 | 85 | 618 | 8412 |
| 600 | 874 | 89 | 645 | 8702 |
| 620 | 904 | 92 | 667 | 8992 |
| 640 | 933 | 95 | 688 | 9282 |
| 660 | 966 | 98 | 712 | 9572 |
| 680 | 995 | 101 | 734 | 9863 |
| 700 | 1.024 | 104 | 755 | 10153 |

HYTORC AVANTI 1



Technische Daten

| Druck (bar) | [Nm] | (kgm) | (ft.lbs.) | Druck (PSI) |
|----------------|-------|-------|-----------|----------------|
| 100 | 257 | 26 | 190 | 1450 |
| 120 | 308 | 31 | 227 | 1740 |
| 140 | 359 | 36 | 265 | 2031 |
| 160 | 411 | 42 | 303 | 2321 |
| 180 | 466 | 47 | 344 | 2611 |
| 200 | 518 | 53 | 382 | 2901 |
| 220 | 570 | 58 | 420 | 3191 |
| 240 | 620 | 63 | 457 | 3481 |
| 260 | 671 | 68 | 495 | 3771 |
| 280 | 723 | 73 | 533 | 4061 |
| 300 | 774 | 79 | 571 | 4351 |
| 320 | 824 | 84 | 608 | 4641 |
| 340 | 876 | 89 | 646 | 4931 |
| 360 | 927 | 94 | 684 | 5221 |
| 380 | 975 | 99 | 719 | 5511 |
| 400 | 1.023 | 104 | 755 | 5801 |
| 420 | 1.074 | 109 | 792 | 6092 |
| 440 | 1.125 | 114 | 830 | 6382 |
| 460 | 1.172 | 119 | 864 | 6672 |
| 480 | 1.223 | 124 | 902 | 6962 |
| 500 | 1.274 | 129 | 940 | 7252 |
| 520 | 1.321 | 134 | 974 | 7542 |
| 540 | 1.368 | 139 | 1.009 | 7832 |
| 560 | 1.419 | 144 | 1.047 | 8122 |
| 580 | 1.470 | 149 | 1.084 | 8412 |
| 600 | 1.517 | 154 | 1.119 | 8702 |
| 620 | 1.567 | 159 | 1.156 | 8992 |
| 640 | 1.618 | 164 | 1.193 | 9282 |
| 660 | 1.666 | 169 | 1.229 | 9572 |
| 680 | 1.717 | 174 | 1.266 | 9863 |
| 700 | 1.767 | 179 | 1.303 | 10153 |

HYTORC AVANTI 3



Technische Daten

| Druck (bar) | [Nm] | (kgm) | (ft.lbs.) | Druck (PSI) |
|----------------|-------|-------|-----------|----------------|
| 100 | 584 | 59 | 431 | 1450 |
| 120 | 701 | 71 | 517 | 1740 |
| 140 | 818 | 83 | 603 | 2031 |
| 160 | 935 | 95 | 690 | 2321 |
| 180 | 1.052 | 107 | 776 | 2611 |
| 200 | 1.169 | 119 | 862 | 2901 |
| 220 | 1.285 | 130 | 948 | 3191 |
| 240 | 1.402 | 142 | 1.034 | 3481 |
| 260 | 1.519 | 154 | 1.120 | 3771 |
| 280 | 1.636 | 166 | 1.207 | 4061 |
| 300 | 1.753 | 178 | 1.293 | 4351 |
| 320 | 1.870 | 190 | 1.379 | 4641 |
| 340 | 1.987 | 202 | 1.466 | 4931 |
| 360 | 2.103 | 214 | 1.551 | 5221 |
| 380 | 2.220 | 225 | 1.637 | 5511 |
| 400 | 2.337 | 237 | 1.724 | 5801 |
| 420 | 2.454 | 249 | 1.810 | 6092 |
| 440 | 2.571 | 261 | 1.896 | 6382 |
| 460 | 2.688 | 273 | 1.983 | 6672 |
| 480 | 2.805 | 285 | 2.069 | 6962 |
| 500 | 2.921 | 297 | 2.154 | 7252 |
| 520 | 3.038 | 308 | 2.241 | 7542 |
| 540 | 3.155 | 320 | 2.327 | 7832 |
| 560 | 3.272 | 332 | 2.413 | 8122 |
| 580 | 3.389 | 344 | 2.500 | 8412 |
| 600 | 3.506 | 356 | 2.586 | 8702 |
| 620 | 3.623 | 368 | 2.672 | 8992 |
| 640 | 3.739 | 380 | 2.758 | 9282 |
| 660 | 3.856 | 391 | 2.844 | 9572 |
| 680 | 3.973 | 403 | 2.930 | 9863 |
| 700 | 4.090 | 415 | 3.017 | 10153 |

HYTORC AVANTI 5



Technische Daten

| Druck (bar) | [Nm] | (kgm) | (ft.lbs.) | Druck (PSI) |
|----------------|-------|-------|-----------|----------------|
| 100 | 1.004 | 102 | 741 | 1450 |
| 120 | 1.214 | 123 | 895 | 1740 |
| 140 | 1.425 | 145 | 1.051 | 2031 |
| 160 | 1.628 | 165 | 1.201 | 2321 |
| 180 | 1.835 | 186 | 1.353 | 2611 |
| 200 | 2.039 | 207 | 1.504 | 2901 |
| 220 | 2.242 | 228 | 1.654 | 3191 |
| 240 | 2.451 | 249 | 1.808 | 3481 |
| 260 | 2.660 | 270 | 1.962 | 3771 |
| 280 | 2.864 | 291 | 2.112 | 4061 |
| 300 | 3.069 | 312 | 2.264 | 4351 |
| 320 | 3.272 | 332 | 2.413 | 4641 |
| 340 | 3.477 | 353 | 2.565 | 4931 |
| 360 | 3.681 | 374 | 2.715 | 5221 |
| 380 | 3.882 | 394 | 2.863 | 5511 |
| 400 | 4.084 | 415 | 3.012 | 5801 |
| 420 | 4.288 | 435 | 3.163 | 6092 |
| 440 | 4.492 | 456 | 3.313 | 6382 |
| 460 | 4.674 | 475 | 3.447 | 6672 |
| 480 | 4.877 | 495 | 3.597 | 6962 |
| 500 | 5.080 | 516 | 3.747 | 7252 |
| 520 | 5.265 | 535 | 3.883 | 7542 |
| 540 | 5.454 | 554 | 4.023 | 7832 |
| 560 | 5.656 | 574 | 4.172 | 8122 |
| 580 | 5.858 | 595 | 4.321 | 8412 |
| 600 | 6.037 | 613 | 4.453 | 8702 |
| 620 | 6.238 | 633 | 4.601 | 8992 |
| 640 | 6.439 | 654 | 4.749 | 9282 |
| 660 | 6.613 | 671 | 4.878 | 9572 |
| 680 | 6.813 | 692 | 5.025 | 9863 |
| 700 | 7.013 | 712 | 5.173 | 10153 |

HYTORC AVANTI 8



Technische Daten

| Druck (bar) | [Nm] | (kgm) | (ft.lbs.) | Druck (PSI) |
|----------------|--------|-------|-----------|----------------|
| 100 | 1.508 | 153 | 1.112 | 1450 |
| 120 | 1.821 | 185 | 1.343 | 1740 |
| 140 | 2.136 | 217 | 1.575 | 2031 |
| 160 | 2.442 | 248 | 1.801 | 2321 |
| 180 | 2.775 | 282 | 2.047 | 2611 |
| 200 | 3.083 | 313 | 2.274 | 2901 |
| 220 | 3.392 | 344 | 2.502 | 3191 |
| 240 | 3.710 | 377 | 2.736 | 3481 |
| 260 | 4.028 | 409 | 2.971 | 3771 |
| 280 | 4.337 | 440 | 3.199 | 4061 |
| 300 | 4.647 | 472 | 3.427 | 4351 |
| 320 | 4.966 | 504 | 3.663 | 4641 |
| 340 | 5.276 | 536 | 3.891 | 4931 |
| 360 | 5.587 | 567 | 4.121 | 5221 |
| 380 | 5.893 | 598 | 4.347 | 5511 |
| 400 | 6.199 | 629 | 4.572 | 5801 |
| 420 | 6.509 | 661 | 4.801 | 6092 |
| 440 | 6.819 | 692 | 5.030 | 6382 |
| 460 | 7.112 | 722 | 5.246 | 6672 |
| 480 | 7.422 | 754 | 5.474 | 6962 |
| 500 | 7.731 | 785 | 5.702 | 7252 |
| 520 | 8.019 | 814 | 5.915 | 7542 |
| 540 | 8.312 | 844 | 6.131 | 7832 |
| 560 | 8.620 | 875 | 6.358 | 8122 |
| 580 | 8.927 | 906 | 6.584 | 8412 |
| 600 | 9.196 | 934 | 6.783 | 8702 |
| 620 | 9.503 | 965 | 7.009 | 8992 |
| 640 | 9.809 | 996 | 7.235 | 9282 |
| 660 | 10.071 | 1.022 | 7.428 | 9572 |
| 680 | 10.376 | 1.053 | 7.653 | 9863 |
| 700 | 10.682 | 1.084 | 7.879 | 10153 |

HYTORC AVANTI 10



Technische Daten

| Druck (bar) | [Nm] | (kgm) | (ft.lbs.) | Druck (PSI) |
|----------------|--------|-------|-----------|----------------|
| 100 | 1.893 | 192 | 1.396 | 1450 |
| 120 | 2.272 | 231 | 1.676 | 1740 |
| 140 | 3.205 | 325 | 2.364 | 2031 |
| 160 | 3.663 | 372 | 2.702 | 2321 |
| 180 | 4.121 | 418 | 3.040 | 2611 |
| 200 | 4.579 | 465 | 3.377 | 2901 |
| 220 | 5.037 | 511 | 3.715 | 3191 |
| 240 | 5.495 | 558 | 4.053 | 3481 |
| 260 | 5.931 | 602 | 4.375 | 3771 |
| 280 | 6.387 | 648 | 4.711 | 4061 |
| 300 | 6.843 | 695 | 5.047 | 4351 |
| 320 | 7.299 | 741 | 5.384 | 4641 |
| 340 | 7.755 | 787 | 5.720 | 4931 |
| 360 | 8.135 | 826 | 6.000 | 5221 |
| 380 | 8.587 | 872 | 6.334 | 5511 |
| 400 | 9.039 | 918 | 6.667 | 5801 |
| 420 | 9.491 | 964 | 7.000 | 6092 |
| 440 | 9.943 | 1.009 | 7.334 | 6382 |
| 460 | 10.344 | 1.050 | 7.629 | 6672 |
| 480 | 10.794 | 1.096 | 7.961 | 6962 |
| 500 | 11.244 | 1.142 | 8.293 | 7252 |
| 520 | 11.694 | 1.187 | 8.625 | 7542 |
| 540 | 12.144 | 1.233 | 8.957 | 7832 |
| 560 | 12.652 | 1.284 | 9.332 | 8122 |
| 580 | 13.104 | 1.330 | 9.665 | 8412 |
| 600 | 13.556 | 1.376 | 9.999 | 8702 |
| 620 | 14.008 | 1.422 | 10.332 | 8992 |
| 640 | 14.460 | 1.468 | 10.665 | 9282 |
| 660 | 14.822 | 1.505 | 10.932 | 9572 |
| 680 | 15.271 | 1.550 | 11.263 | 9863 |
| 700 | 15.720 | 1.596 | 11.595 | 10153 |

HYTORC AVANTI 20



Technische Daten

| Druck (bar) | [Nm] | (kgm) | (ft.lbs.) | Druck (PSI) |
|----------------|--------|-------|-----------|----------------|
| 100 | 3.618 | 367 | 2.669 | 1450 |
| 120 | 4.342 | 441 | 3.203 | 1740 |
| 140 | 5.066 | 514 | 3.737 | 2031 |
| 160 | 5.789 | 588 | 4.270 | 2321 |
| 180 | 6.560 | 666 | 4.838 | 2611 |
| 200 | 7.289 | 740 | 5.376 | 2901 |
| 220 | 8.018 | 814 | 5.914 | 3191 |
| 240 | 8.741 | 887 | 6.447 | 3481 |
| 260 | 9.465 | 961 | 6.981 | 3771 |
| 280 | 10.193 | 1.035 | 7.518 | 4061 |
| 300 | 10.921 | 1.109 | 8.055 | 4351 |
| 320 | 11.515 | 1.169 | 8.493 | 4641 |
| 340 | 12.235 | 1.242 | 9.024 | 4931 |
| 360 | 12.955 | 1.315 | 9.555 | 5221 |
| 380 | 13.623 | 1.383 | 10.048 | 5511 |
| 400 | 14.296 | 1.451 | 10.544 | 5801 |
| 420 | 15.011 | 1.524 | 11.072 | 6092 |
| 440 | 15.726 | 1.597 | 11.599 | 6382 |
| 460 | 16.263 | 1.651 | 11.995 | 6672 |
| 480 | 16.970 | 1.723 | 12.517 | 6962 |
| 500 | 17.677 | 1.795 | 13.038 | 7252 |
| 520 | 18.286 | 1.856 | 13.487 | 7542 |
| 540 | 18.915 | 1.920 | 13.951 | 7832 |
| 560 | 19.615 | 1.991 | 14.467 | 8122 |
| 580 | 20.316 | 2.063 | 14.985 | 8412 |
| 600 | 21.067 | 2.139 | 15.538 | 8702 |
| 620 | 21.769 | 2.210 | 16.056 | 8992 |
| 640 | 22.471 | 2.281 | 16.574 | 9282 |
| 660 | 23.218 | 2.357 | 17.125 | 9572 |
| 680 | 23.922 | 2.429 | 17.644 | 9863 |
| 700 | 24.626 | 2.500 | 18.163 | 10153 |

HYTORC AVANTI 35



Technische Daten

| Druck (bar) | [Nm] | (kgm) | (ft.lbs.) | Druck (PSI) |
|----------------|--------|-------|-----------|----------------|
| 100 | 6.496 | 659 | 4.791 | 1450 |
| 120 | 7.795 | 791 | 5.749 | 1740 |
| 140 | 9.095 | 923 | 6.708 | 2031 |
| 160 | 10.394 | 1.055 | 7.666 | 2321 |
| 180 | 11.793 | 1.197 | 8.698 | 2611 |
| 200 | 13.103 | 1.330 | 9.664 | 2901 |
| 220 | 14.413 | 1.463 | 10.631 | 3191 |
| 240 | 15.794 | 1.603 | 11.649 | 3481 |
| 260 | 17.172 | 1.743 | 12.666 | 3771 |
| 280 | 18.493 | 1.877 | 13.640 | 4061 |
| 300 | 19.814 | 2.012 | 14.614 | 4351 |
| 320 | 21.178 | 2.150 | 15.620 | 4641 |
| 340 | 22.502 | 2.284 | 16.597 | 4931 |
| 360 | 23.826 | 2.419 | 17.573 | 5221 |
| 380 | 25.263 | 2.565 | 18.633 | 5511 |
| 400 | 26.688 | 2.709 | 19.684 | 5801 |
| 420 | 28.023 | 2.845 | 20.669 | 6092 |
| 440 | 29.357 | 2.980 | 21.653 | 6382 |
| 460 | 30.748 | 3.122 | 22.679 | 6672 |
| 480 | 32.085 | 3.257 | 23.665 | 6962 |
| 500 | 33.422 | 3.393 | 24.651 | 7252 |
| 520 | 34.724 | 3.525 | 25.611 | 7542 |
| 540 | 36.033 | 3.658 | 26.577 | 7832 |
| 560 | 37.368 | 3.794 | 27.562 | 8122 |
| 580 | 38.702 | 3.929 | 28.546 | 8412 |
| 600 | 40.259 | 4.087 | 29.694 | 8702 |
| 620 | 41.601 | 4.223 | 30.684 | 8992 |
| 640 | 42.943 | 4.360 | 31.674 | 9282 |
| 660 | 44.204 | 4.488 | 32.604 | 9572 |
| 680 | 45.544 | 4.624 | 33.592 | 9863 |
| 700 | 46.884 | 4.760 | 34.580 | 10153 |

HYTORC AVANTI 50



Technische Daten

| Druck (bar) | [Nm] | (kgm) | (ft.lbs.) | Druck (PSI) |
|----------------|--------|-------|-----------|----------------|
| 100 | 9.413 | 956 | 6.943 | 1450 |
| 120 | 11.322 | 1.149 | 8.351 | 1740 |
| 140 | 13.235 | 1.344 | 9.762 | 2031 |
| 160 | 15.126 | 1.536 | 11.157 | 2321 |
| 180 | 17.285 | 1.755 | 12.749 | 2611 |
| 200 | 19.205 | 1.950 | 14.165 | 2901 |
| 220 | 21.126 | 2.145 | 15.582 | 3191 |
| 240 | 22.937 | 2.329 | 16.918 | 3481 |
| 260 | 24.752 | 2.513 | 18.256 | 3771 |
| 280 | 26.656 | 2.706 | 19.661 | 4061 |
| 300 | 28.560 | 2.899 | 21.065 | 4351 |
| 320 | 30.078 | 3.054 | 22.185 | 4641 |
| 340 | 31.958 | 3.244 | 23.571 | 4931 |
| 360 | 33.838 | 3.435 | 24.958 | 5221 |
| 380 | 35.361 | 3.590 | 26.081 | 5511 |
| 400 | 36.923 | 3.749 | 27.233 | 5801 |
| 420 | 38.769 | 3.936 | 28.595 | 6092 |
| 440 | 40.615 | 4.123 | 29.956 | 6382 |
| 460 | 41.713 | 4.235 | 30.766 | 6672 |
| 480 | 43.527 | 4.419 | 32.104 | 6962 |
| 500 | 45.340 | 4.603 | 33.442 | 7252 |
| 520 | 46.532 | 4.724 | 34.321 | 7542 |
| 540 | 47.844 | 4.857 | 35.288 | 7832 |
| 560 | 49.616 | 5.037 | 36.595 | 8122 |
| 580 | 51.388 | 5.217 | 37.902 | 8412 |
| 600 | 51.225 | 5.201 | 37.782 | 8702 |
| 620 | 52.933 | 5.374 | 39.042 | 8992 |
| 640 | 54.640 | 5.547 | 40.301 | 9282 |
| 660 | 55.054 | 5.589 | 40.606 | 9572 |
| 680 | 56.723 | 5.759 | 41.837 | 9863 |
| 700 | 58.391 | 5.928 | 43.068 | 10153 |